Volume 182 1989

Table of contents

No. 1 1–238 issued on July 15, 1989
No. 2 239–478 issued on August 1, 1989
No. 3 479–724 issued on August 15, 1989

Corrections 723

Newsletter 1989 of the Nomenclature Committee of IUB (NC-IUB) and the IUPAC-IUB Joint Commission on Biochemical Nomenclature 1– 4

Review

NMR studies of mobility within protein structure
R. J. P. Williams 479–497

Nucleic acids, protein synthesis and molecular genetics

DNA polymerase α from normal rat liver is different than DNA polymerases α from Morris hepatoma strains
O. Popanda and H. W. Thielmann 5– 13

The primary structure of rat ribosomal protein L37a
T. Tanaka, Y. Aoyama, Y.-L. Chan and I. G. Wool 15– 18

Subunit association defects in *Escherichia coli* ribosome mutants lacking proteins S20 and L11
F. Götz, C. Fleischer, C. L. Pon and C. O. Gualerzi 19– 24

Crystallin gene expression during rat lens development
H. J. M. Aarts, N. H. Lubsen and J. G. G. Schoenmakers 31– 36

Differential effect of hemin-controlled eIF-2α kinases from mouse erythroleukemia cells on protein synthesis
T. F. Sarre, M. Hermann and M. Bader 137–143

Transcription of the α^A-globin gene of the duck – Development of a homologous *in vitro* system and identification of *trans*-acting factors
S. Weingart, U. Sommer, H. Gerhold and K. H. Seifart 145–153

Molecular cloning of the nuclear gene for mitochondrial ribosomal protein YmL31 from *Saccharomyces cerevisiae*
L. Grohmann, H.-R. Graack and M. Kitakawa 155–160

Human phosvitin/casein kinase type II – Molecular cloning and sequencing of full-length cDNA encoding subunit beta
R. Jakobi, H. Voss and W. Pyerin 227–233

Mitogen-responsive S6 kinase
A. Lawen, M. Burger and O. H. W. Martini 245–253

Insulin-induced S6 kinase activation in HeLa cells and its reversal by hyperthermic stress
M. Burger, A. Lawen and O. H. W. Martini 255–262

The third ribosomal tRNA-binding site, the E site, is occupied in native polysomes
J. Remme, T. Margus, R. Villems and K. H. Nierhaus 281–284

Evaluation of the use of S1 nuclease to detect small length variations in genomic DNA
A. J. Brookes and E. Solomon 291–296

Effect of DNA conformation on the transcription of mitochondrial DNA
M. Barat-Gueride, C. Dufresne and D. Rickwood 297–302

Two genes encode the adenine nucleotide translocator of maize mitochondria – Isolation, characterisation and expression of the structural genes
B. Bathgate, A. Baker and C. J. Leaver 303–310

Inactivation of the *Escherichia coli* heat-labile enterotoxin by *in vitro* mutagenesis of the A-subunit gene
S. Harford, C. W. Dykes, A. N. Hobden, M. J. Read and I. J. Halliday 311–316

The genes for human alcohol dehydrogenases β_1 and β_2 differ by only one nucleotide
Y. Matsuo, R. Yokoyama and S. Yokoyama 317–320

Characterization of distinct mRNAs coding for putative isozymes of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase
K. M. Crepin, M. I. Darville, L. Hue and G. G. Rousseau 433–440

Nucleotide sequence of cDNA coding for saporin-6, a type-1 ribosome-inactivating protein from *Saponaria officinalis*
L. Benatti, M. B. Saccardo, M. Dani, G. Nitti, M. Sassano, R. Lorenzetti, D. A. Lappi and M. Soria 465–470

Biochemical and biophysical analysis of pseudoknot-containing RNA fragments – Melting studies and NMR spectroscopy
A. van Belkum, P. J. Wiersema, J. Joordens, C. Pleij, C. W. Hilbers and L. Bosch 591–601

Cloning and chromosomal localization of *Drosophila* cDNA encoding the catalytic subunit of protein phosphatase 1α – High conservation between mammalian and insect sequences
V. Dombrádi, J. M. Axton, D. M. Glover and P. T. W. Cohen 603–610

Structure of the human lysosomal acid phosphatase gene
C. Geier, K. von Figura and R. Pohlmann 611–616

Investigation of RecA – polynucleotide interactions from the measurement of LexA repressor cleavage kinetics – Presence of different types of complex
M. Takahashi and M. Schnarr 617–622

Protein chemistry and structure

New dimeric inhibitor of heterologous α-amylases encoded by a duplicated gene in the short arm of chromosome 3B of wheat (*Triticum aestivum* L.)
R. Sanchez-Monge, L. Gomez, F. García-Olmedo and G. Salcedo 37–40

Factors relevant in the reaction of pyroloquinoline quinone with amino acids — Analytical and mechanistic implications
M. A. G. van Kleef, J. A. Jongejan and J. A. Duine 41–47

Site-directed mutagenesis of yeast phosphoglycerate kinase — The 'basic-patch' residue arginine 168
P. A. Walker, J. A. Littlechild, L. Hall and H. C. Watson 49–55

NMR analysis of site-specific mutants of yeast phosphoglycerate kinase — An investigation of the triose-binding site
W. J. Fairbrother, P. A. Walker, P. Minard, J. A. Littlechild, H. C. Watson and R. J. P. Williams 57–67

An actin-interacting heptapeptide in the cofilin sequence
N. Yonezawa, E. Nishida, M. Ohba, M. Seki, H. Kumagai and H. Sakai 235–238

Differences in hydrophobic properties for human α_2-macroglobulin and pregnancy zone protein as studied by affinity phase partitioning
G. Birkenmeier, L. Carlsson-Bostedt, V. Shanbhag, T. Kriegel, G. Kopperschläger, L. Sottrup-Jensen and T. Stigbrand 239–243

Structural changes in oxidised low-density lipoproteins and of the effect of the anti-atherosclerotic drug probucol observed by synchrotron X-ray and neutron solution scattering
M. F. Bellamy, A. S. Nealis, J. W. Aitken, K. R. Bruckdorfer and S. J. Perkins 321–329

Direct and energy-transfer photolabelling of brain muscarinic acetylcholine receptors
B. Ilien and C. Hirth 331–337

Large intramolecular movement in human complement protein C3 induced by methylamine — A small-angle scattering study using monoclonal antibodies as markers
R. Österberg, U. Nilsson, T. Stigbrand and J. Kjems 507–511

Preparation and properties of a cross-linked complex between ferredoxin–$NADP^+$ reductase and flavodoxin
J. J. Pueyo, J. Sancho, D. E. Edmondson and C. Gómez-Moreno 539–544

NMR studies of the *Escherichia coli trp* aporepressor — Sequence-specific assignment of the aromatic proton resonances
E. I. Hyde, V. Ramesh, G. C. K. Roberts, C. H. Arrowsmith, L. Treat-Clemons, B. Klaic and O. Jardetzky 545–553

Structure and activity of proteins from pathogenic fungi *Phytophthora* eliciting necrosis and acquired resistance in tobacco
P. Ricci, P. Bonnet, J.-C. Huet, M. Sallantin, F. Beauvais-Cante, M. Bruneteau, V. Billard, G. Michel and J.-C. Pernollet 555–563

Sequential ^{1}H-NMR assignment and solution structure of bovine pancreatic ribonuclease A
M. Rico, M. Bruix, J. Santoro, C. Gonzalez, J. L. Neira, J. L. Nieto and J. Herranz 623–638

Structural homology between glycophorins C and D of human erythrocytes
B. El-Maliki, D. Blanchard, W. Dahr, K. Beyreuther and J.-P. Cartron 639–643

Two isoforms of smooth muscle myosin regulatory light chain in chicken gizzard
A. Inoue, M. Yanagisawa, H. Takano-Ohmuro and T. Masaki 645–651

Complete amino acid sequence of a new murine T-cell growth factor P40
R. J. Simpson, R. L. Moritz, M. R. Rubira, J. J. Gorman and J. Van Snick 715–722

Enzymology

Stability and activity of a thermostable malic enzyme in denaturants and water-miscible organic solvents
A. Guagliardi, G. Manco, M. Rossi and S. Bartolucci 25–30

Catalytic properties of thermophilic lactate dehydrogenase and halophilic malate dehydrogenase at high temperature and low water activity
K. Hecht, A. Wrba and R. Jaenicke 69–74

Dehydrogenases of the pentose phosphate pathway in rat liver peroxisomes
V. D. Antonenkov 75–82

The purification and characterization of a dextranase from *Lipomyces starkeyi*
D. Koenig and D. Day 161–167

Evidence for at least four different inositol bisphosphatases in bovine brain
S. Howell, R. J. Barnaby, T. Rowe, C. I. Ragan and N. S. Gee 169–172

Purification and characterization of spermidine N^1-acetyltransferase from chick duodenum
T. Shinki and T. Suda 285–290

Modulation of arginine decarboxylase activity from *Mycobacterium smegmatis* — Evidence for pyridoxal-5′-phosphate-mediated conformational changes in the enzyme
D. Balasundaram and A. K. Tyagi 339–345

Kinetics of bilirubin oxidation catalysed by bilirubin oxidase in a water-in-oil microemulsion system
C. Oldfield and R. B. Freedman 347–355

Analysis of the inactivation of liver alcohol dehydrogenase during storage in Aerosol-OT/isooctane microemulsions
K. M. Larsson, C. Oldfield and R. B. Freedman 357–361

Intestinal-like alkaline phosphatase expressed in normal human adult kidney
K. Hirano, K. Kusano, Y. Matsumoto, T. Stigbrand, S. Iino and K. Hayashi 419–423

Dynamic interactions between enzyme activity and the microstructured environment
J. Chopineau, D. Thomas and M.-D. Legoy 459–463

Streptomyces griseus aminopeptidase is a calcium-activated zinc metalloprotein — Purification and properties of the enzyme
A. Spungin and S. Blumberg 471–477

Novel inhibitors and substrates of bilirubin: UDP-glucuronosyltransferase — Arylalkylcarboxylic acids
S. Fournel-Gigleux, S. R. P. Shepherd, M.-C. Carre, B. Burchell, G. Siest and P. Caubere 653–659

Carbohydrates, lipids and other natural products

Cholesterol efflux from and high-density-lipoproteins binding to cultured bovine vascular endothelial cells are higher than with vascular smooth muscle cells
N. Savion and S. Kotev-Emeth 363–370

Structural characterization of the lipid A component of *Bacteroides fragilis* strain NCTC 9343 lipopolysaccharide
A. Weintraub, U. Zähringer, H.-W. Wollenweber, U. Seydel and E. T. Rietschel 425–431

The identification of lysosomal ganglioside sialidase in human cells
M. Zeigler, V. Sury and G. Bach 455–458

Unesterified long-chain fatty acids inhibit thyroid hormone binding to the nuclear receptor — Solubilized receptor and the receptor in cultured cells
A. Inoue, N. Yamamoto, Y. Morisawa, T. Uchimoto, M. Yukioka and S. Morisawa 565–572

The core region of *Proteus mirabilis* R110/1959 lipopolysaccharide
J. Radziejewska-Lebrecht and H. Mayer 573–581

Purification and characterization of trimming glucosidase I from pig liver
E. Bause, J. Schweden, A. Gross and B. Orthen 661–669

Physical and inorganic biochemistry

The effect of myosin light chain phosphorylation and Mg^{2+} on the conformation of myosin in thick filaments of glycerinated fibers of rabbit skeletal muscle
Y. S. Borovikov and D. I. Levitsky 83– 88

Preliminary assignments of the aromatic and some methyl group resonances of the ^{1}H-NMR spectrum of the oxidized form of uteroglobin — Application to the interaction of oxidized uteroglobin with progesterone
N. Jamin, P. Roy, F. Fridlansky, M. Delepierre, E. Milgrom, B. P. Roques and J.-P. Mornon 219–226

Iron metabolism of *Escherichia coli* studied by Mössbauer spectroscopy and biochemical methods
B. Matzanke, G. I. Müller, E. Bill and A. X. Trautwein 371–379

Folding of thermolysin fragments — Hydrodynamic properties of isolated domains and subdomains
C. Vita, A. Fontana and R. Jaenicke 513–518

Membranes and bioenergetics

Sulfhydryl groups of the uncoupling protein of brown adipose tissue mitochondria — Distinction between sulfhydryl groups of the H^+ channel and the nucleotide binding site
P. Ježek and Z. Drahota 89– 95

Shift to the Na^+ form of Na^+/K^+-transporting ATPase due to modification of the low-affinity ATP-binding site by $Co(NH_3)_4ATP$
G. Scheiner-Bobis, M. Esmann and W. Schoner 173–178

Interaction of non-classical detergents with the mitochondrial porin — A new purification procedure and characterization of the pore-forming unit
V. De Pinto, R. Benz and F. Palmieri 179–187

Equilibrium, kinetic and photoaffinity labeling studies of daunomycin binding to P-glycoprotein-containing membranes of multidrug-resistant Chinese hamster ovary cells
R. Busche, B. Tümmler, D. F. Cano-Gauci and J. R. Riordan 189–197

The pathway of the quinol/quinone transhydrogenation reaction in ubiquinol:cytochrome-*c* reductase of *Neurospora* mitochondria
A. Zweck, G. Bechmann and H. Weiss 199–203

Properties of vasoactive-intestinal-peptide receptors and β-adrenoceptors in the murine radiation leukemia-virus-induced lymphoma cell line BL/VL_3
J. Abello, C. Damien, P. De Neef, M. Tastenoy, R. Hooghe, P. Robberecht and J. Christophe 263–267

Homologous and heterologous regulation of the helodermin/vasoactive-intestinal-peptide response in the murine radiation leukemia-virus-induced lymphoma cell line BL/VL_3
J. Abello, C. Damien, P. Robberecht, R. Hooghe, A. Vandermeers, M.-C. Vandermeers-Piret and J. Christophe 269–274

Interaction of staphylococcal δ-toxin and synthetic analogues with erythrocytes and phospholipid vesicles — Biological and physical properties of the amphipathic peptides
J. E. Alouf, J. Dufourcq, O. Siffert, E. Thiaudiere and C. Geoffroy 381–390

Identification and properties of a novel type of Na^+-permeable amiloride-sensitive channel in thyroid cells
B. Verrier, G. Champigny, P. Barbry, C. Gerard, J. Mauchamp and M. Lazdunski 499–505

The Na^+-motive terminal oxidase activity in an alkalo- and halo-tolerant *Bacillus*
A. L. Semeykina, V. P. Skulachev, M. L. Verkhovskaya, E. S. Bulygina and K. M. Chumakov 671–678

Metabolism and metabolic regulation

Structural and functional studies on rabbit liver glycogenin
C. Smythe, C. Villar-Palasi and P. Cohen 205–209

The visualization by affinity electrophoresis of a specific association between the consecutive citric acid cycle enzymes fumarase and malate dehydrogenase
S. Beeckmans, E. Van Driessche and L. Kanarek 449–454

Glycogen synthesis in the obliquely striated muscle of *Ascaris suum*
P. Ghosh, A. C. Heath, M. J. Donahue and R. A. Masaracchia 679–685

Carbamoyl phosphate biosynthesis and partition in pyrimidine and arginine pathways of *Escherichia coli* – *In situ* properties of carbamoyl-phosphate synthase, ornithine transcarbamylase and aspartate transcarbamylase in permeabilized cells
J.-P. Robin, B. Penverne and G. Hervé 519–528

Signal transduction and molecular neurobiology

Dual Mg^{2+} control of formyl-peptide-receptor–G-protein interaction in HL 60 cells – Evidence that the low-agonist-affinity receptor interacts with and activates the G-protein
P. Gierschik, M. Steisslinger, D. Sidiropoulos, E. Herrmann and K. H. Jakobs 97–105

Inhibition of NADPH oxidase by aminoacyl chloromethane protease inhibitors in phorbol-ester-stimulated human neutrophils: a reinvestigation – Are proteases really involved in the activation process?
E. C. Conseiller and F. Lederer 107–114

Evidence for receptor-regulated phosphotransfer reactions involved in activation of the adenylate cyclase inhibitory G protein in human platelet membranes
K. H. Jakobs and T. Wieland 115–121

Initiation of DNA synthesis by microtubule disruption in quiescent rat 3Y1 cells
Y. Shinohara, E. Nishida and H. Sakai 275–280

Inhibitory effect of nonviable preparations from human immunodeficiency virus 1 on inositol phospholipid metabolism
W. E. G. Müller, P. Reuter, Y. Kuchino, J. van Rooyen and H. C. Schröder 391–396

Protein kinase C stimulates adenylate cyclase activity in prolactin-secreting rat adenoma (GH_4C_1) pituicytes by inactivating the inhibitory GTP-binding protein G_i
J. O. Gordeladze, T. Björo, P. A. Torjesen, B. C. Østberg, E. Haug and K. M. Gautvik 397–406

Purification and characterization of subforms of the guanine-nucleotide-binding proteins $G\alpha_i$ and $G\alpha_o$
J. Lang 687–692

Cloning and expression of γ-glutamyl transpeptidase from isolated porcine brain capillaries
A. Papandrikopoulou, A. Frey and H. G. Gassen 693–698

Pairs of cyclic AMP analogs, that are specifically synergistic for type I and type II cAMP-dependent protein kinases, mimic thyrotropin effects on the function, differentiation expression and mitogenesis of dog thyroid cells
J. Van Sande, A. Lefort, S. Beebe, P. Roger. J. Perret, J. Corbin and J. E. Dumont 699–708

Molecular cell biology

O-Glycosylation of leukosialin in K562 cells – Evidence for initiation and elongation in early Golgi compartments
V. Piller, F. Piller, F. G. Klier and M. Fukuda 123–135

Cloning of cDNA encoding the membrane-bound form of bovine β1,4-galactosyltransferase
G. D'Agostaro, B. Bendiak and M. Tropak 211–217

Reduced temperature does not prevent transport of lysosomal integral membrane proteins from endoplasmic reticulum and through the Golgi system to lysosomes
P. G. Morales, J. G. Barriocanal and I. V. Sandoval 407–412

Phosphorylation *in vitro* of vimentin by protein kinases A and C is restricted to the head domain – Identification of the phosphoserine sites and their influence on filament formation
N. Geisler, M. Hatzfeld and K. Weber 441–447

Purification and characterization of 55-kDa protein with 3,5,3'-triiodo-L-thyronine-binding activity and protein disulfide-isomerase activity from beef liver membrane
R. Horiuchi, K. Yamauchi, H. Hayashi, S. Koya, Y. Takeuchi, K. Kato, M. Kobayashi and H. Takikawa 529–538

Intracellular Ca^{2+} potentiates Na^+/H^+ exchange and cell differentiation induced by phorbol ester in U937 cells
J. Alvarez, J. García-Sancho, F. Mollinedo and A. Sanchez 709–714

Developmental biochemistry and immunology

Myosin heavy-chain isoforms in adult and developing rabbit vascular smooth muscle
A. C. Borrione, A. M. C. Zanellato, G. Scannapieco, P. Pauletto and S. Sartore 413–417

Specific programs of myosin expression in the postnatal development of rat muscles
A. d'Albis, R. Couteaux, C. Janmot and A. Roulet 583–590

Indexed in *Current Contents*